



SOLID WOOD SKIRTINGS & PROFILES



ENG

PEDROSS[®]
LEISTENHERSTELLUNG - WOODEN PROFILES - LISTELLI IN LEGNO



True greatness is found in the details: A stylish ambience requires careful planning and design. These fine details play a large role in a home's style and afford unmistakable charm – turning your home into a place of well-being.

PEDROSS: TRADITION MEETS INNOVATION



Extraordinary personages are at the root of every successful company. The same holds true for PEDROSS: When the South Tyrolean **Master Carpenter Karl Pedross** set off on his own in 1956, he could have never imagined the rapid growth and development his company would experience. In making the full transition to all-natural skirting boards during the seventies his impeccable sense of business paved the way for lasting corporate growth.

Today, PEDROSS is the embodiment of uncompromising quality and unrivalled assortment in the area of flooring accessories. Under the leadership of **Martin Pedross** in second generation, this tradition of success is carried on with confidence, bringing the family company closer to the fulfilment of a great vision: Leader of innovation in the moulding and flooring accessory industry.

Ethics
Expertise
Efficiency
Excellence
Environment

OUR CERTIFICATIONS



Naturally sustainable

PEDROSS solid wood profiles owe their high degree of sustainability above all to the natural resource wood: The extraction and processing of wood requires less energy than other natural resources. Furthermore, the solid wood skirting boards are 100% recyclable, completing their journey through life without ever causing additional strain on the environment. The wood used for their production comes predominantly from sustainable forests. To complete the circle of sustainability, production waste is re-processed into briquettes and all of our folders are printed on FSC®-certified paper. Ask about our FSC® certified products.



The mark of responsible forestry



A TRUE NATURAL TALENT


PEDROSS **solid wood skirting boards** are known for their high-grade, durable and elegant properties. These are true natural talents, which are given the final touch using state-of-the-art processing technology and smooth surface handling.

With its highly versatile qualities, the solid wood skirting board is sure to meet even the toughest demands and to satisfy those with the highest expectations for quality in the home. Its **raw material sawn** timber provides it with its most important attributes: Robustness and durability.

The abundance of methods available for processing and finishing allow a **custom seal** – oiled or varnished, according to taste – and ensures effective protection against staining and signs of wear. Additionally, the solid wood skirting board is also noted for its **unrivalled beauty** thanks to the distinguished appearance bestowed by nature, which has endured trend after trend for centuries.



TECHNICAL DATA



>> RAW MATERIAL

We only use select lumber of the highest quality. Virtually all of our lumber is grown in sustainable and certified forests.

>> DIMENSIONS

Only state-of-the-art technology is used for milling our profile dimensions. Each profile is planed to the highest precision and is then ready for individual further processing in its untreated condition.

>> SURFACE TREATMENT


- UV-cured clear natural finish
- Stained and varnished - customisations also available upon request
- RAL colour finish
- Clear and white oil finish - we use natural linseed oil, which accentuates the natural beauty of the wood.



A VENERABLE TALENT

The solid wood skirting board is the noblest and most precious product among skirting boards. It creates a comforting atmosphere through the unique symbiosis of elegance and function, while also guaranteeing:

- high durability and longevity
- maximum quality you can sense and feel
- timeless beauty that is impervious to trends



Wood stands for origin and dependability. From time immemorial, it has accompanied mankind and knows our history better than any other material. Perhaps this explains its extraordinary talent for conveying the feeling of true security.

Wood types

Ash	Oak
Ayous/Abachi	Pine
Beech steamed	Red Oak
Beech unsteamed	Rustic Oak
Cherry	Sipo/Mahogany
Doussie	Smoked Oak
Iroko	Spruce
Jatoba	Thermic Ash
Larch	Walnut
Maple	Wenge
Merbau	White Wood

AN ASSORTMENT
WITH CHARACTER

Our solid wood profiles are made from **22 selected species of wood** – we also provide **special orders** upon request. The organic textures such as visible annual rings, vivid grain, fine swirls and subtle deviations in colour serve as a sort of «**certificate of authenticity**» – these textural differences common to wood are evidence of the material's absolute uniqueness and foundation in nature, which cannot be copied and which lends to your home a truly authentic touch.

Surface treatment: clear, oiled, white oiled, white chalked, white, RAL, special finish

Red Oak



Iroko



Walnut



Sipo/Mahogany



Oak



Larch



Merbau



Beech unsteamed



Rustic Oak



Jatoba



Maple




Pine



Doussie



Wenge



Ash



Spruce



Cherry



Thermic Ash



White Wood



Ayous/Abachi



Beech steamed



Smoked Oak





Wood represents nature in its most beautiful element: the element of variety. Firm and flexible, it also incorporates the most extraordinary interactions of colour and form and never ceases to amaze the beholder with its vivid ability to adapt.

Quality before quantity


In order to ensure our customers the greatest possible degree of flexibility, minimum quantities are individually agreed with each customer according to their own needs.

The solid wood skirting boards are available in **varying lengths** or in the standard length of **270 cm**. Custom lengths are also available upon request

PACKAGING UNIT = 

ENDLESS RANGE OF SHAPES

PEDROSS solid wood skirting boards are available in over **800 different profiles**. This opens up inexhaustible design possibilities and is certain to satisfy even the most extraordinary tastes. The following pages will provide you with an overview of our standard skirting boards and wood types that are readily available at all times. We're even happy to provide **custom profiles** tailored to your own needs – a sample of the profile or a blueprint is all we need.



Skirting boards

6274
14x18 mm

 20 pic.

Beech	Oak
Cherry	Pine
Doussie	Sipo/Mahogany
Maple	Spruce

6520
13x22 mm

 20 pic.

Ash	Oak
Beech	Pine
Cherry	Spruce
Iroko	White
Maple	

5400
10x35 mm


 10 pic.

Ash	Maple
Beech	Oak

5689
18x35 mm

 10 pic.

Ash	Maple
Beech	Oak



Skirting boards

0506
24x24 mm

 20 pic.

Beech	Spruce
Oak	

0516
30x30 mm

 20 pic.




Beech	Oak
-------	-----

5475
30x30 mm

 20 pic.

Beech	Oak
Maple	Pine





Skirting boards

6059 20 pic.
30x30 mm




Ash	Oak
Beech	Oak rustic
Cherry	Pine
Doussie	Sipo/Mahogany
Larch	Spruce
Maple	Wenge
Walnut	White

0473 50 pic.
6x30 mm

Beech	Sipo/Mahogany
Maple	Spruce
Oak	White
Pine	

0472 50 pic.
6x24 mm

Ash	Oak
Beech	Pine
Cherry	Sipo/Mahogany
Doussie	White
Maple	Wenge
Walnut	



Skirting boards

0476 20 pic.
6x40 mm





Pine

0479 30 pic.
8x24 mm

Beech Oak

0509 10 pic.
24x42 mm

Beech Maple Oak Pine



Skirting boards

0507 15 pic.
22x38 mm

Beech	Pine
Maple	Sipo/Mahogany
Oak	White

5751 5 pic.
16x40 mm





Oak White

5752 5 pic.
20x40 mm

Oak White

6219 10 pic.
20x45 mm

Oak Oak rustic



Skirting boards

6331 10 pic.
20x45 mm

Beech Larch Maple Oak	Oak rustic Pine Spruce White
--------------------------------	---------------------------------------

0490 10 pic.
10x48 mm




Beech Oak	Pine White
--------------	---------------

5955 10 pic.
15x50 mm

Oak rustic	White
------------	-------

5956 5 pic.
20x58 mm

Oak Oak rustic	White
-------------------	-------



Skirting boards

0492 5 pic.
20x60 mm




Beech Cherry Larch Maple Oak	Oak rustic Pine Sipo/Mahogany Spruce White
--	--

0491 10 pic.
10x60 mm

Beech Cherry Maple Oak	Pine Sipo/Mahogany Spruce White
---------------------------------	--

0495 10 pic.
13x60 mm

Beech Maple Oak	Pine Sipo/Mahogany White
-----------------------	--------------------------------



Skirting boards

1495 10 pic.
13x60 mm


Beech Maple Oak	Pine White
-----------------------	---------------

6842 5 pic.
16x60 mm

Beech Oak

0496 5 pic.
13x70 mm

Beech Oak	Pine White
--------------	---------------



Skirting boards

5547 10 pic.
12x60 mm

Beech
Maple

Oak

0500 5 pic.
13x70 mm

Beech
Oak

Pine
White


6112 5 pic.
18x70 mm

Ayous/Abachi
Oak rustic

Spruce knotty
White

5600 5 pic.
23x75 mm

Oak rustic
White



Skirting boards

0497 5 pic.
13x80 mm

Beech
Oak

Pine
White

6220 5 pic.
20x80 mm

Oak
Oak rustic

6137 5 pic.
18x100 mm

Ayous/Abachi
Spruce knotty

0499 5 pic.
18x120 mm

Ayous/Abachi
Oak
White

5903 5 pic.
17x150 mm

Oak rustic

A perfect match

When choosing the right skirting boards, the differences in how light interacts with and is reflected by the material should be taken into consideration: Place the sample board at a right-angle to the parquet floor – only then will the true colour effect reveal itself, enabling you to choose the perfect wood type to match your parquet floor.



ONE PROGRAM WITH MANY EXTRAS





T-bars

In order to provide our customers with limitless flexibility, our solid wood program offers much more than parquet and skirting boards: The wide range of profiles even includes **sauna boards**, as well as profiles for **flooring, carpeting** and **staircases**.





Half round profiles





Angle

T-bars


5710  6 pic.
58x21/14 mm
Beech | Oak


5732  6 pic.
57x24/19 mm
Beech | Oak





Profiled skirtings

Reducers


5726  6 pic.
58x22/14 mm
Beech | Oak


5733  6 pic.
62x25/19 mm
Beech | Oak







Notch skirtings

Wood to carpet

5712  6 pic.
40x20/14 mm
Beech | Oak

5731  6 pic.
42,5x23/18 mm
Beech | Oak



Edges

5711 6 pic.
40x20/14 mm

Beech | Oak

5734 6 pic.
40x25/19 mm

Beech | Oak



Stair noses

5750 6 pic.
60x26/14 mm

Beech | Oak

5757 6 pic.
60x29/19 mm

Beech | Oak





Quadrants

0307 50 pic.
14x14 mm

Beech | Oak
Cherry | Pine
Doussie | Sipo/Mahogany
Maple | Spruce
Walnut

0309 30 pic.
18x18 mm

Beech | Pine
Oak







Scotias

0533 30 pic.
18x18 mm


Oak | Pine


0536 25 pic.
22x22 mm

Oak | Spruce
Pine




Angles



0573  20 pic.
28x28 (Inner measurement ca.21x21 mm)
Pine | Spruce

0575  10 pic.
35x35 (Inner measurement ca.28x28 mm)
Pine | Spruce


Sauna profiles


0700  5 pic.
27x60 mm
Ayous/Abachi



6493  5 pic.
27x85 mm
Ayous/Abachi



Pipe coverings


0901  5 pic.
28x80 mm
Ayous/Abachi | White




0902  5 pic.
28x80 mm
Ayous/Abachi | White




Square profiles


0407  20 pic.
20x20 mm
Beech | Oak | Pine


0408  10 pic.
24x24 mm
Pine







Construction wood


0762  6 pic.
28x28 mm
Spruce knotty

0764  6 pic.
38x38 mm
Spruce knotty


0766  4 pic.
38x58 mm
Spruce knotty








Rectangular profiles

0424  50 pic.
5x20 mm
Beech | Pine
Oak


0426  50 pic.
2x30 mm
Pine


0438  30 pic.
10x20 mm
Beech | Pine
Oak

0440  20 pic.
10x30 mm
Beech | Pine
Oak






Rectangular profiles

0443  10 pic.
10x60 mm
Beech | Pine
Oak

0447  30 pic.
14x20 mm
Pine

0450  20 pic.
14x30 mm
Beech | Pine
Oak

0464  10 pic.
14x60 mm
Beech | Pine
Oak



Rectangular profiles

0456  10 pic.

20x30 mm

Beech
Oak | Pine

0453  10 pic.




20x40 mm

Beech
Oak | Pine

0455  10 pic.

20x60 mm

Beech
Oak | Pine



Round profiles

0373  30 pic.

15 mm

Beech
Oak | Pine

0375  15 pic.

20 mm

Beech
Oak | Pine

0376  15 pic.





24 mm

Beech
Oak | Pine

0377  10 pic.

28 mm

Beech
Oak | Pine



Profiled skirtings

1023  30 pic.

10x23 mm

Oak | Pine

1230  30 pic.

12x30 mm

Pine

0580  20 pic.

14x24 (Notch depth 4x17 mm)

Oak
Pine | Limba
Sipo/Mahogany

0564  10 pic.

20x24 (Notch depth 4x17 mm)

Beech
Oak | Pine

Packaging

Every detail is accounted for, right down to the packaging: You decide whether your order should be delivered wrapped with film, shrink wrapped or fully wrapped with film.



Product presentation



The modular POS systems provide our retailers with a striking product presentation at the point of sale.

Also available in personalised design upon request.



PROFESSIONALISM AND PERFECTION

Your success is our duty. We have grown together with you and strive to improve your competitive edge every day. Because one thing is for sure: Your success is the foundation for our growth.

The PEDROSS guarantee:

- Your own contact person
- consultation tailored to meet your needs
- worldwide delivery and suppliers specialised in skirting boards.

Do you have questions? Our team of consultants is available Monday to Friday from 8am to 6pm (GMT+1) at Tel. +39 0473 722 200.

Or visit our website www.pedross.com

PEDROSS GROUP

KARL PEDROSS AG and the Business Unit Vicover in Laces/Italy, the company BÜRKLE Leisten & Profile in Frankenthal/Germany, PEDROSS Unit in Innsbruck/Austria and PEDROSS USA LLC in Springdale/AR are among the world's leading pioneers in the development, production and marketing of flooring accessories as well as edges and coating material. With an exceptionally innovative spirit and the combined power of 250 highly motivated employees, we strive to provide the best possible solutions for our customers and partners every day.

BÜRKLE
Leisten & Profile

PEDROSS
USA


VICOVER
BUSINESS UNIT OF KARL PEDROSS SPA





True beauty is on the inside: Its distinctive character sometimes hides its true qualities – solid wood has a warm, comforting essence, is reliable and remains true to us for our entire life.



This flyer is printed on FSC® certified paper.



Karl Pedross SPA • I-39021 Laces (BZ) • Zona Industriale, 1C
Tel. +39 0473 722 200 • Fax +39 0473 722 300
info@pedross.com • www.pedross.com

PEDROSS®
LEISTENHERSTELLUNG - WOODEN PROFILES - LISTELLI IN LEGNO